

Computability and Complexity of RSRL

Stephan Kepser

SFB 441, University of Tübingen
Nauklerstr. 35, 72074 Tübingen, Germany
kepser@sfs.uni-tuebingen.de

Version of July 23, 2001

1 Introduction

RELATIONAL SPECIATE REENTRANT LOGIC (henceforce RSRL, [13, 12]) is a description logic designed by Frank Richter, Manfred Sailer, and Gerald Penn to formalise HEAD-DRIVEN PHRASE STRUCTURE GRAMMAR [9, 10]. HPSG is one of the leading paradigms in current linguistic research. It is in particular characterised by a high degree of formalisation and in opposite to its contender GB non-transformational. RSRL is based on SPECIATE REENTRANT LOGIC [6, 7], a feature logic for HPSG developed by King. RSRL, as SRL, is a description logic, it is designed to describe (linguistic) entities and not to talk about truth. A description of this logic can be true or false of an object. Therefore the denotation of such a description are those objects on which the description fits or for which the description is true. A linguistic entity is described mainly by sorts and features. Sorts describe the type of the entity, such as *word* or *phrase* or *subcat*; they act as unary relations partitioning the domain of discourse. Features describe sub-parts of entities such as the PHON (phonetic/phonologic) or SYNSEM (syntactic and semantic) sub-parts of a *word*. The main two extensions of RSRL over SRL is the introduction of arbitrary relations and quantification. Relations and quantification are specific to RSRL and not classical. Richter [12] argues at length that these extensions are required to fully formalise the principles of HPSG [10]. Here, we will not enter into the linguistic discussion. Neither can we explain the design goals of RSRL. We will rather investigate computational and complexity properties of RSRL. In doing so we want to contribute to a better understanding of this feature logic, that is by some people regarded as *the* logic for HPSG.

The notion of the complexity of a logic stems from descriptive complexity theory. In principle, classes of finite structures can be defined in (at least) two different fashions. Classically, classes of structures are defined by logical axiomatisations. Hence it is the expressive power of the logic that decides which classes can be defined. Computationally, classes of structures can be defined by means of the computing devices that can compute if a candidate structure belongs to the class or if it does not. Hence it is the computational complexity that decides which classes can be defined. Descriptive complexity theory bridges between these two approaches by investigating the relationship

between the expressive power of a logic on the one side and the complexity of a computing machine on the other. So, there are two questions: Given classes of structures defined in a particular logic, what is the required computational power to decide these classes? An example answer is that classes of structures defined in classical first order logic plus transitive closure require LOGSPACE-bounded non-deterministic Turing machines. And given classes of structures decided by some computing machine, what is the logic that can define these classes? Again an example answer is that classes of ordered structures that can be decided by LOGSPACE-bounded non-deterministic Turing machines can be axiomatised by first order logic plus transitive closure. Thus on finite ordered structures first order logic with transitive closure and LOGSPACE-bounded non-deterministic Turing machines define exactly the same classes of structures, as Immerman showed [4].

In this paper, we start from classes of finite structures definable in RSRL and search for the computing device that is required to decide these classes. To do so, we will systematically distinguish between two types of RSRL: RSRL as defined by Richter and so-called chainless RSRL, which is a semantically weaker version of RSRL. Richter introduces the notion of a chain. A chain is a potentially empty, finite sequence of objects in the denotation domain. One of the peculiarities of RSRL is the fact that the denotation of a variable may not only be a single object, but also a chain of objects. In chainless RSRL, a variable is always assigned to a single object. So, the syntax of RSRL and chainless RSRL are identical, while the semantics differs in that the denotation domain of a variable in chainless RSRL is always a single object of the universe (as is the case in classical logic) while it can be a single object or a chain of objects in (general) RSRL. Unsurprisingly, the introduction of chains has quite an impact on the expressiveness and computability of RSRL, as we will show. Richter [12] argues that they are necessary to formalise the meaning of HPSG-principles that contain references to sets or lists like, e.g., the SUBCATEGORIZATION Principle.

After a short formal introduction to RSRL in the second section we present the first main result in the third one by showing that truth of a formula in a finite RSRL-interpretation is undecidable. Kepser showed in [5] that satisfiability of an SRL-formula is decidable, while King and Simov [8] proved the stronger notion of grammaticality of an SRL-formula to be undecidable. It is well known that satisfiability of classical first order logic is undecidable [1]. On the other hand, first order logic plus transitive closure is in LOGSPACE, as Immerman [4] showed. That is to say, given a formula of first-order logic with transitive closure and a finite first order structure, the complexity to calculate whether the formula holds true in the given structure is LOGSPACE bounded by the size of the structure. It turns out that the corresponding question for RSRL, namely given an RSRL-formula and a finite RSRL-structure, is the formula true in the structure is in general undecidable. The undecidability is proven by showing that Post Correspondence Problems can be coded in RSRL-chains. This result is quite remarkable since it shows that the seemingly innocent addition of chains is really a one with far reaching consequence. Checking the truth or falsehood of a formula in a *finite* structure is amongst the minimal requirements one can put onto a logic. Also, King and Simov's undecidability proof needs infinite structures. We remain in the realm of finite structures, and the introduction of chains, which are also finite, is motivated by linguistic needs.

The fourth section shows that chainless RSRL is in PTIME. After we saw the impact of allowing chains it is natural to ask where does RSRL stand if chains were removed. One can show that the classes of finite structures definable in chainless RSRL are decidable by PTIME-bounded Turing machines. To state that differently, given a Turing machine that represents a chainless RSRL formula and a finite RSRL-structure as input to the machine, the denotation of the formula in that structure can be computed in a time polynomial to the size of the structure. Or taken chainless RSRL as a query language, the complexity class of evaluating a query in a finite structure is PTIME. This result is a lot closer to the classical result for first order logic. That we still end up in a different complexity class is a consequence of the specific type of quantification found in RSRL. This section heavily draws from [3], Chapter 6 in terms of concepts and technical definitions. Hence understanding this section without a knowledge of that chapter in the book by Ebbinghaus and Flum may be difficult, although all relevant definitions are present here.

The fifth section shows that a classical first order sentence has a classical model if and only if it has a so-called fully connected chainless RSRL model. It is very likely that the class of fully connected RSRL-models is neither classically nor RSRL-axiomatisable. If that is right then first-order logic cannot be encoded in RSRL.

2 RSRL

RSRL is a logic designed to describe HPSG-feature structures. An HPSG feature structure is a directed rooted finite hyper graph of a particular kind with sorts as node labels and features as edge labels. Features are functional. The distribution of sorts and features is not arbitrary, there are strong co-occurrence restrictions that allow the appearance of certain features only in the context of certain sorts. An example of how an HPSG feature structure looks like is given in Figure 1. It is the structure of the English pronoun *she* ([10], p. 17).

A full introduction to RSRL in its linguistic motivations or design decisions is far beyond the scope of this paper. This section rather summarises the technical definitions of RSRL that define its core. It is an excerpt of Chapter 3.1.1 “The Description Language” of [12] where a rich explanation with examples of all the technical definitions that follow can be found.

Definition 1 Σ is a *signature* iff

Σ is a septuple $\langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{AR} \rangle$,
 $\langle \mathcal{G}, \sqsubseteq \rangle$ is a partial order of sorts,
 $\mathcal{S} = \left\{ \sigma \in \mathcal{G} \mid \begin{array}{l} \text{for each } \sigma' \in \mathcal{G}, \\ \text{if } \sigma' \sqsubseteq \sigma \text{ then } \sigma = \sigma' \end{array} \right\}$, the set of most specific sorts
 \mathcal{A} is a set of attributes or features,
 \mathcal{F} is a partial function from the Cartesian product of \mathcal{G} and \mathcal{A} to \mathcal{G} ,
for each $\sigma_1 \in \mathcal{G}$, for each $\sigma_2 \in \mathcal{G}$ and for each $\alpha \in \mathcal{A}$,
if $\mathcal{F} \langle \sigma_1, \alpha \rangle$ is defined and $\sigma_2 \sqsubseteq \sigma_1$
then $\mathcal{F} \langle \sigma_2, \alpha \rangle$ is defined and $\mathcal{F} \langle \sigma_2, \alpha \rangle \sqsubseteq \mathcal{F} \langle \sigma_1, \alpha \rangle$,




Figure 1: Structure of the English pronoun *she*

\mathcal{R} is a finite set of relation symbols, and
 \mathcal{AR} is a total function from \mathcal{R} to \mathbb{N}^+ , the arities of the relations.

The partial order $\langle \mathcal{G}, \sqsubseteq \rangle$ of sorts exists mainly for linguistic purposes. The technically relevant part of it is the set \mathcal{S} of its most specific sorts. Therefore, other than in this section, the partial order will remain unmentioned in our work. \mathcal{F} defines compatibility restrictions between sorts and features. It enables the linguist to state that only certain sorts and features may co-occur.

Suppose M is a set. M^* is the set of finite strings over M , including the empty string. We will refer to it as the set of finite sequences of elements of M . Similarly, M^+ is the set of nonempty finite sequences of elements of M . For convenience, we will henceforth write \overline{M} as an abbreviation for $M \uplus M^*$.

RSRL signatures are interpreted as follows:

Definition 2 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{AR} \rangle$, \mathcal{I} is a Σ interpretation iff

- \mathcal{I} is a quadruple $\langle U, S, A, R \rangle$,
- U is a set, the universe or carrier,
- S is a total function from U to \mathcal{S} ,
- A is a total function from \mathcal{A} to the set of partial functions from U to U ,
- for each $\alpha \in \mathcal{A}$ and each $u \in U$,

if $A(\alpha)(u)$ is defined
 then $\mathcal{F}\langle S(u), \alpha \rangle$ is defined, and $S(A(\alpha)(u)) \sqsubseteq \mathcal{F}\langle S(u), \alpha \rangle$, and
 for each $\alpha \in \mathcal{A}$ and each $u \in U$,
 if $\mathcal{F}\langle S(u), \alpha \rangle$ is defined then $A(\alpha)(u)$ is defined,
 R is a total function from \mathcal{R} to the power set of $\bigcup_{n \in \mathbb{N}} \bar{U}^n$, and
 for each $\rho \in \mathcal{R}$, $R(\rho) \subseteq \bar{U}^{\mathcal{A}\mathcal{R}(\rho)}$.

We sometimes call interpretations also structures. As one can see in the last line, relations do not only range over tuples of individuals, but over tuples of chains of individuals.

Definition 3 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{A}\mathcal{R} \rangle$,

$$\begin{aligned}
 \widehat{\mathcal{G}} &= \mathcal{G} \cup \{chain, echain, nechain, metatop\}, \\
 \widehat{\sqsubseteq} &= \sqsubseteq \cup \{ \langle echain, chain \rangle, \langle nechain, chain \rangle \} \cup \{ \langle \sigma, \sigma \rangle \mid \sigma \in \widehat{\mathcal{G}} \setminus \mathcal{G} \} \\
 &\quad \cup \{ \langle \sigma, metatop \rangle \mid \sigma \in \widehat{\mathcal{G}} \}, \\
 \widehat{\mathcal{S}} &= \mathcal{S} \cup \{echain, nechain\}, \text{ and} \\
 \widehat{\mathcal{A}} &= \mathcal{A} \cup \{\dagger, \triangleright\}.
 \end{aligned}$$

Definition 4 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{A}\mathcal{R} \rangle$, for each Σ interpretation $I = \langle U, S, A, R \rangle$,

\widehat{S} is the total function from \bar{U} to $\widehat{\mathcal{S}}$ such that
 for each $u \in U$, $\widehat{S}(u) = S(u)$,
 for each $u_1 \in U, \dots, u_n \in U$,

$$\widehat{S}(\langle u_1, \dots, u_n \rangle) = \begin{cases} echain & \text{if } n = 0, \\ nechain & \text{if } n > 0 \end{cases}, \text{ and}$$

\widehat{A} is the total function from $\widehat{\mathcal{A}}$ to the set of partial functions from \bar{U} to \bar{U} such that

for each $\alpha \in \mathcal{A}$, $\widehat{A}(\alpha) = A(\alpha)$,
 $\widehat{A}(\dagger)$ is the total function from U^+ to U such that for each
 $\langle u_0, \dots, u_n \rangle \in U^+$,
 $\widehat{A}(\dagger)(\langle u_0, \dots, u_n \rangle) = u_0$, and
 $\widehat{A}(\triangleright)$ is the total function from U^+ to U^* such that for each
 $\langle u_0, \dots, u_n \rangle \in U^+$,
 $\widehat{A}(\triangleright)(\langle u_0, \dots, u_n \rangle) = \langle u_1, \dots, u_n \rangle$.

\dagger returns the head (left-most element) of a non-empty chain, and \triangleright its rest.

$\mathcal{V}\mathcal{A}\mathcal{R}$ is a countably infinite set of symbols, the variables.

Definition 5 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{A}\mathcal{R} \rangle$, \mathcal{T}^Σ is the smallest set such that

$:\in \mathcal{T}^\Sigma$,
 for each $v \in \mathcal{V}\mathcal{A}\mathcal{R}$, $v \in \mathcal{T}^\Sigma$, and
 for each $\alpha \in \widehat{\mathcal{A}}$ and each $\tau \in \mathcal{T}^\Sigma$, $\tau\alpha \in \mathcal{T}^\Sigma$.

We call each element of \mathcal{T}^Σ a Σ term. A Σ term consists of either the reserved symbol ‘:’ or a variable followed by a (possibly empty) string of symbols of the expanded attribute set. To determine the interpretation of a term, we need the notion of a variable assignment.

Definition 6 For each signature Σ , for each Σ interpretation $I = \langle U, S, A, R \rangle$,

$Ass_I = \overline{U}^{\mathcal{V}\mathcal{A}\mathcal{R}}$ is the *set of variable assignments in I*.

We note that the denotation of a variable can be a chain of elements from U . Σ terms are interpreted as partial functions from U to \overline{U} .

Definition 7 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, S, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{A}\mathcal{R} \rangle$, for each Σ interpretation $I = \langle U, S, A, R \rangle$, for each $ass \in Ass_I$, T_1^{ass} is the total function from \mathcal{T}^Σ to the set of partial functions from U to \overline{U} such that for each $u \in U$,

$T_1^{ass}(:)(u)$ is defined and $T_1^{ass}(:)(u) = u$,
 for each $v \in \mathcal{V}\mathcal{A}\mathcal{R}$, $T_1^{ass}(v)(u)$ is defined and $T_1^{ass}(v)(u) = ass(v)$,
 for each $\tau \in \mathcal{T}^\Sigma$, for each $\alpha \in \widehat{\mathcal{A}}$,
 $T_1^{ass}(\tau\alpha)(u)$ is defined
 iff $T_1^{ass}(\tau)(u)$ is defined and $\widehat{A}(\alpha)(T_1^{ass}(\tau)(u))$ is defined, and
 if $T_1^{ass}(\tau\alpha)(u)$ is defined
 then $T_1^{ass}(\tau\alpha)(u) = \widehat{A}(\alpha)(T_1^{ass}(\tau)(u))$.

We now define the set of descriptions (or formulae) of RSRL.

Definition 8 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, S, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{A}\mathcal{R} \rangle$, \mathcal{D}^Σ is the smallest set such that

for each $\sigma \in \widehat{\mathcal{G}}$, for each $\tau \in \mathcal{T}^\Sigma$, $\tau \sim \sigma \in \mathcal{D}^\Sigma$,
 for each $\tau_1 \in \mathcal{T}^\Sigma$, for each $\tau_2 \in \mathcal{T}^\Sigma$, $\tau_1 \approx \tau_2 \in \mathcal{D}^\Sigma$,
 for each $\rho \in \mathcal{R}$, for each $x_1 \in \mathcal{V}\mathcal{A}\mathcal{R}$, ..., for each $x_{\mathcal{A}\mathcal{R}(\rho)} \in \mathcal{V}\mathcal{A}\mathcal{R}$,
 $\rho(x_1, \dots, x_{\mathcal{A}\mathcal{R}(\rho)}) \in \mathcal{D}^\Sigma$,
 for each $\delta \in \mathcal{D}^\Sigma$, $\neg\delta \in \mathcal{D}^\Sigma$,
 for each $\delta_1 \in \mathcal{D}^\Sigma$, for each $\delta_2 \in \mathcal{D}^\Sigma$, $[\delta_1 \wedge \delta_2] \in \mathcal{D}^\Sigma$,
 for each $\delta_1 \in \mathcal{D}^\Sigma$, for each $\delta_2 \in \mathcal{D}^\Sigma$, $[\delta_1 \vee \delta_2] \in \mathcal{D}^\Sigma$.
 for each $x \in \mathcal{V}\mathcal{A}\mathcal{R}$, for each $\delta \in \mathcal{D}^\Sigma$, $\exists x \delta \in \mathcal{D}^\Sigma$,
 for each $x \in \mathcal{V}\mathcal{A}\mathcal{R}$, for each $\delta \in \mathcal{D}^\Sigma$, $\forall x \delta \in \mathcal{D}^\Sigma$,

In RSRL, the quantification domains are so-called components of elements. Given an element in an interpretation, its components are all those elements that can be reached via some feature path:

Definition 9 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{AR} \rangle$, for each Σ interpretation $I = \langle U, S, A, R \rangle$, and for each $u \in U$,

$$\text{Co}_I^u = \left\{ u' \in U \left| \begin{array}{l} \text{for some } \text{ass} \in \text{Ass}_I, \\ \text{for some } \pi \in \mathcal{A}^*, \\ T_1^{\text{ass}}(:\pi)(u) \text{ is defined, and} \\ u' = T_1^{\text{ass}}(:\pi)(u) \end{array} \right. \right\}.$$

The following definition is a variant of the usual definition of a modified variable assignment.

Definition 10 For each signature Σ , for each Σ interpretation $I = \langle U, S, A, R \rangle$, for each $\text{ass} \in \text{Ass}_I$, for each $v \in \mathcal{V}\mathcal{AR}$, for each $w \in \mathcal{V}\mathcal{AR}$, for each $u \in \bar{U}$,

$$\text{ass}_v^u(w) = \begin{cases} u & \text{if } v = w \\ \text{ass}(w) & \text{otherwise.} \end{cases}$$

Here is finally the definition of the denotation of a description.

Definition 11 For each signature $\Sigma = \langle \mathcal{G}, \sqsubseteq, \mathcal{S}, \mathcal{A}, \mathcal{F}, \mathcal{R}, \mathcal{AR} \rangle$, for each Σ interpretation $I = \langle U, S, A, R \rangle$, for each $\text{ass} \in \text{Ass}_I$, D_1^{ass} is the total function from \mathcal{D}^Σ to the power set of U such that

for each $\tau \in \mathcal{T}^\Sigma$, for each $\sigma \in \widehat{\mathcal{G}}$,

$$D_1^{\text{ass}}(\tau \sim \sigma) = \left\{ u \in U \left| \begin{array}{l} T_1^{\text{ass}}(\tau)(u) \text{ is defined, and} \\ \widehat{S}(T_1^{\text{ass}}(\tau)(u)) \widehat{\sqsubseteq} \sigma \end{array} \right. \right\},$$

for each $\tau_1 \in \mathcal{T}^\Sigma$, for each $\tau_2 \in \mathcal{T}^\Sigma$,

$$D_1^{\text{ass}}(\tau_1 \approx \tau_2) = \left\{ u \in U \left| \begin{array}{l} T_1^{\text{ass}}(\tau_1)(u) \text{ is defined,} \\ T_1^{\text{ass}}(\tau_2)(u) \text{ is defined, and} \\ T_1^{\text{ass}}(\tau_1)(u) = T_1^{\text{ass}}(\tau_2)(u) \end{array} \right. \right\},$$

for each $\rho \in \mathcal{R}$, for each $x_1 \in \mathcal{V}\mathcal{AR}$, ..., for each $x_{\mathcal{AR}(\rho)} \in \mathcal{V}\mathcal{AR}$,

$$\begin{aligned} & D_1^{\text{ass}}(\rho(x_1, \dots, x_{\mathcal{AR}(\rho)})) \\ &= \left\{ u \in U \left| \langle \text{ass}(x_1), \dots, \text{ass}(x_{\mathcal{AR}(\rho)}) \rangle \in R(\rho) \right. \right\}, \end{aligned}$$

for each $\delta \in \mathcal{D}^\Sigma$,

$$D_1^{\text{ass}}(\neg\delta) = U \setminus D_1^{\text{ass}}(\delta),$$

for each $\delta_1 \in \mathcal{D}^\Sigma$, for each $\delta_2 \in \mathcal{D}^\Sigma$,

$$D_1^{\text{ass}}([\delta_1 \wedge \delta_2]) = D_1^{\text{ass}}(\delta_1) \cap D_1^{\text{ass}}(\delta_2),$$

for each $\delta_1 \in \mathcal{D}^\Sigma$, for each $\delta_2 \in \mathcal{D}^\Sigma$,

$$D_1^{\text{ass}}([\delta_1 \vee \delta_2]) = D_1^{\text{ass}}(\delta_1) \cup D_1^{\text{ass}}(\delta_2).$$

for each $v \in \mathcal{V}\mathcal{AR}$, for each $\delta \in \mathcal{D}^\Sigma$,

$$D_1^{\text{ass}}(\exists v \delta) = \left\{ u \in U \left| \begin{array}{l} \text{for some } u' \in \overline{\text{Co}}_I^u, \\ u \in D_1^{\text{ass}_v^{u'}}(\delta) \end{array} \right. \right\},$$

for each $v \in \mathcal{V}\mathcal{AR}$, for each $\delta \in \mathcal{D}^\Sigma$,

$$D_1^{\text{ass}}(\forall v \delta) = \left\{ u \in U \left| \begin{array}{l} \text{for each } u' \in \overline{\text{Co}}_I^u, \\ u \in D_1^{\text{ass}_v^{u'}}(\delta) \end{array} \right. \right\}.$$

It is in particular the interpretation of quantification which is special. It contains two unusual elements: localisation and transitive closure. Localisation because the quantification for a particular element in the universe ranges only over its components, and transitive closure, because the components form the transitive closure of the one step transition from one element in the universe to the next via features.

To get to the chainless variant of RSRL some of the above definitions need slight modifications. In Definition 2 of interpretations, relations must be relations on individuals, only, not on chains. The extended signature and its interpretation in Definitions 3 and 4 are no longer needed. And in Definition 6 variables can only be assigned to individuals, not chains.

3 Truth in a Finite RSRL-Structure is Undecidable

Since RSRL is a description logic, the notion of truth is only indirectly present. But already Richter observes that one can say an RSRL-formula φ is true in some interpretation I with variable assignment b if its denotation $D_I^b(\varphi) = U_I$ is the whole universe. In this case we just write $(I, b) \models \varphi$. A formula is false, if it is not true.

One of the important differences between RSRL and classical logic is the fact that on the classical side the truth of a sentence in a given finite model can be decided while on the RSRL side it cannot in general. In the classical case there exists a result in descriptive complexity theory (see [3], Chapter 6) by Immerman [4] that shows that even if we enrich first order logic by deterministic transitive closure, the complexity for deciding whether or not a sentence is true in a given finite structure is in LOGSPACE, so very low. The situation for RSRL is quite different.

Theorem 12 *Given a sentence φ and a finite RSRL-interpretation I , it is in general not decidable, if I models φ .*

We prove this theorem by coding Post correspondence problems in finite RSRL-structures. Let Γ be an alphabeth. A Post correspondence system [11] is a finite set P of ordered pairs of nonempty strings; that is P is a finite subset of $\Gamma^+ \times \Gamma^+$. A match of P is any string $w \in \Gamma^*$ such that, for some $n > 0$ and some (not necessarily distinct) pairs $(u_1, v_1), \dots, (u_n, v_n) \in P$ it is the case that $w = u_1 \dots u_n = v_1 \dots v_n$. The Post correspondence problem is the question whether there exists a match for a given system P . Post showed that this question is in general undecidable (if Γ consists of more than 2 letters).

Let P be a Post correspondence system. It will be coded as follows. Each letter of Γ is a node in the feature structure, so Γ is the carrier of the RSRL-interpretation. There exists only one single sort s , it is appropriate for all letters. There is a single feature f . Feature f is appropriate for sort s and sort s is appropriate for (s, f) . Let k be the cardinality of Γ and e be an enumeration of Γ . We define $\langle e(i), e(i+1) \rangle \in f$ for each $0 < i < k$ and $\langle e(k), e(1) \rangle \in f$. Thus f forms a complete cycle around the letters. Consequently, for each $a \in \Gamma : \text{Co}^a = \Gamma$. This simplifies proofs significantly: Quantification now behaves (almost) classically, there are no strange interactions with these components.

We define three relations, all of them are relations on *chains* of letters. The first relation, *Post*, contains all pairs of P , i.e., for all $u, v \in \Gamma^+$: $(u, v) \in \text{Post}$ iff $(u, v) \in P$. The second relation, *Conc*, defines concatenation of chains of letters:

$$\begin{aligned} \forall x y z \text{ Conc}(x, y, z) \quad \leftrightarrow \quad & (\hat{S}(x) \sim \text{echain} \wedge y = z) \quad \vee \\ & (\hat{S}(x) \sim \text{nechain} \wedge \\ & \exists w r_1 r_2 : x \dagger = w \wedge z \dagger = w \wedge x \triangleright = r_1 \\ & \wedge z \triangleright = r_2 \wedge \text{Conc}(r_1, y, r_2)) \end{aligned}$$

Lemma 13 *For all chains $x, y, z \in \Gamma^*$: $\text{Conc}(x, y, z)$ if and only if z is the concatenation of x and y .*

Proof. Let $x, y, z \in \Gamma^*$ with $\text{Conc}(x, y, z)$. We show that z is the concatenation of x and y by an induction on the length of x . If x is the empty chain, then the first disjunct holds and, since $y = z$, clearly z is the concatenation of x and y . If x is non-empty, then, by the second disjunct, there is a letter w which is the head of x and the head of z and a chain r_1 which is the tail of x and a chain r_2 which is the tail of z such that $\text{Conc}(r_1, y, r_2)$. Since the length of r_1 is smaller than that of x , it follows by the induction hypothesis that r_2 is the concatenation of r_1 and y . Thus $w r_2$ is the concatenation of $w r_1$ and y .

Let $x, y, z \in \Gamma^*$ with z being the concatenation of x and y . We show that $\text{Conc}(x, y, z)$ by an induction on the length of x . If x is the empty chain, then $y = z$ and thus the first disjunct holds and therefore $\text{Conc}(x, y, z)$. If x is non-empty, then we can split it up into the first letter w of x and the rest r_1 of x . Since z is the concatenation of x and y , we know we can split up z also and w must be the first letter of z ; we call the rest r_2 . Clearly, r_2 is the concatenation of r_1 and y . By induction hypothesis, $\text{Conc}(r_1, y, r_2)$. Thus the second disjunct holds, and therefore $\text{Conc}(x, y, z)$. ■

The third relation, *Post-Chain*, contains all pairs of chains that can be constructed by pairwise concatenating pairs from *Post*.

$$\begin{aligned} \forall x y \text{ Post-Chain}(x, y) \quad \leftrightarrow \quad & \text{Post}(x, y) \quad \vee \\ & (\exists u_1 u_2 v_1 v_2 \hat{S}(u_1) \sim \text{nechain} \wedge \hat{S}(u_2) \sim \text{nechain} \wedge \hat{S}(v_1) \sim \text{nechain} \\ & \wedge \hat{S}(v_2) \sim \text{nechain} \wedge \text{Conc}(u_1, u_2, x) \wedge \text{Conc}(v_1, v_2, y) \\ & \wedge \text{Post-Chain}(u_1, v_1) \wedge \text{Post}(u_2, v_2)) \end{aligned}$$

A pair of chains is in *Post-Chain* iff it is a pair of the *Post* correspondence system *Post* or both components can be split up into subchains the first of which is in *Post-Chain* and the second a pair of the *Post* correspondence system *Post*.

Lemma 14 *For all chains $x, y \in \Gamma^+$: $\text{Post-Chain}(x, y)$ if and only if there is an $n > 0$ and strings $u_1, \dots, u_n, v_1, \dots, v_n \in \Gamma^+$ such that $x = u_1 \dots u_n$, $y = v_1 \dots v_n$ and for each $1 \leq i \leq n$: $(u_i, v_i) \in P$.*

Proof. Let there be an $n > 0$ and strings $u_1, \dots, u_n, v_1, \dots, v_n \in \Gamma^+$ such that $x = u_1 \dots u_n$, $y = v_1 \dots v_n$ and for each $1 \leq i \leq n$: $(u_i, v_i) \in P$. We show $\text{Post-Chain}(x, y)$ by

an induction on n .

Base case $n = 1$. In this case $(x, y) \in P$ and $(x, y) \in \text{Post}$ and therefore $(x, y) \in \text{Post-Chain}$ by the first disjunct of the definition.

Step case $n > 1$. Let $a_1 = u_1 \dots u_{n-1}$ and $b_1 = v_1 \dots v_{n-1}$. Then $(a_1, b_1) \in \text{Post-Chain}$ by induction hypothesis. a_1 and b_1 are non-empty chains by definition, and $x = a_1 u_n$ and $y = b_1 v_n$. Of course $(u_n, v_n) \in \text{Post}$. Hence the second disjunct of the Post-Chain definition holds. And therefore $(x, y) \in \text{Post-Chain}$.

Let $(x, y) \in \text{Post-Chain}$. Then by definition of Post-Chain either $(x, y) \in P$ or x is the concatenation of the two non-empty chains u_1 and u_2 , y is the concatenation of the two non-empty chains v_1 , and v_2 , $(u_2, v_2) \in P$ and $(u_1, v_1) \in \text{Post-Chain}$, and u_1 is shorter than x as v_1 is shorter than y . The argument can be repeated for the pair (u_1, v_1) and so on. The splitting process must terminate since the resulting pair is always smaller. And each step chops of a pair from P . Hence (x, y) is indeed the concatenation of pair from P . ■

Now consider the formula

$$\exists x \text{Post-Chain}(x, x).$$

By the above lemma, this formula expresses that there is a match of the Post correspondence system. If truth of the conjunction of this formula together with the defining formulae of Conc and Post-Chain was decidable in the given RSRL-interpretation, we had a method for solving Post correspondence problems.

4 Chainless RSRL is in PTIME

The uncomputability result of the previous section relies on the existence of chains. It is therefore natural to ask what complexity result can be obtained when leaving out chains. We can show that if a class of finite structures is definable in chainless RSRL, then it is decidable by a deterministic Turing machine in a time that is polynomial in the size of the input structures. In this section, we follow closely [3], Chapter 6. Let K be a class of finite RSRL-interpretations. We write $K \in \text{RSRL}$ if K is axiomatisable in RSRL. Axiomatisability in a description logic is to be read as follows. All those structures are axiomatised for which the defining formula is true, in other words has the whole carrier as denotation.

Let K be a class of finite interpretations and M a Turing machine. M accepts K if M accepts exactly those finite interpretations that lie in K . We define K is in PTIME (“deterministic polynomial time”) iff there exists a deterministic Turing machine M and a polynomial $p \in \mathbb{N}[x]$ such that M accepts K and M is p time-bounded.

We will now take RSRL-interpretations as inputs to Turing machines. We consider only finite interpretations, infinite ones cannot be input to a machine. Let I be a finite interpretation with $|I| = n$. By passing to an isomorphic copy we can and always will assume that the carrier $U_I = \{0, 1, \dots, n-1\}$, an initial sequence of the natural numbers.

The machine has input tapes and work tapes, all infinitely extending to the right. The input tapes are the universe tape, the sort tape, a feature tape for each feature and a

relation tape for each relation. The universe tape contains just n consecutive 1, so it looks like this

α	1	1	...	1	0	0	...
-1	0	1		$n-1$	n	$n+1$	

The sort tape contains the sort for each element. The inscription of cell i is σ iff $S(i) = \sigma$ and the rest of the tape is filled with zeros.

Features and relations are both coded in the same way, features being special types of binary relations. To code relation R , let R be r -ary, that is, $R \subseteq \{0, \dots, n-1\}^r$. For $j < n^r$, let $|j|_r$ be the j -th r -tuple in the lexicographic ordering of $\{0, \dots, n-1\}^r$; in other words, look at the unique n -adic representation of j ,

$$j = j_1 \cdot n^{r-1} + j_2 \cdot n^{r-2} + \dots + j_{r-1} \cdot n + j_r \text{ with } 0 \leq j_i < n,$$

and set $|j|_r = (j_1, \dots, j_r)$. Then the tape coding R has the inscription

α	a_0	a_1	a_2	a_3	...	a_{n^r-1}	0
-1	0	1	2	3		n^r-1	n^r

where $a_j = 1$ iff $R|j|_r$ and $a_j = 0$ iff not $R|j|_r$.

Formulae may contain free variables. The values of these variables are determined by assignment functions. So, in order to compute on structures we would need to code assignment functions, too. Instead, we look at a variant of RSRL which allows for individual constants. This obviously does not extend the expressive power of the language, since every constant can be replaced by a free variable. We will do just the opposite and replace every free variable by a *new* constant in an extended signature and fix the denotation of the constant to be exactly the element that is the denotation of the variable it replaces. This way, we need not code assignment functions. For every constant, there is an input tape. Since the denotation of a constant is a number $< n$, the constant is coded by the binary representation of that number.

The machine also possesses several work tapes. We define the first work tape to be the output tape. That is to say, if the machine halts, the first work tape contains the information which elements are in the denotation of the formula φ . So, the i -cell of the tape contains a 1 iff $i \in D(\varphi)$ and a 0 otherwise. All other cells are padded with 0's.

We want to show that for any sentence of RSRL the class K of its finite models is in PTIME. We even show that there is a machine M strongly witnessing $K \in \text{PTIME}$, that is,

- M accepts K ;
- for any interpretation I every run of M , started with I stops; in particular, M decides K ;

- for any interpretation I every run of M satisfies the polynomial time bound.

Theorem 15 *Let K be a class of finite interpretations of chainless RSRL. If $K \in \text{RSRL}$ then $K \in \text{PTIME}$.*

Proof. The proof proceeds by induction on the axiomatising formula φ .

Let φ be atomic. It can have three different forms: $R(c_1, \dots, c_r)$ for some r -ary relation R ; or $t_1 \approx t_2$ with terms t_1, t_2 ; or $t \sim \sigma$ with term t and sort σ . In the first case, we compute the number l represented by (c_1, \dots, c_r) in n -ary notation and then look up the l -th cell of the input tape for R . If it contains a 1, a 1 is written onto the first n cells of the first work tape. If it contains a 0, a 0 is written onto the first n cells of the first work tape. Since l is a polynome over n it can be computed in polynomial time.

In the second case we have to compute the denotation of the terms t_1, t_2 for each element $0 \leq i < n$. For each of the two terms we use a work tape containing the denotation of the term application onto i computed so far in binary notation. For the first term t_1 , the initial inscription of its work tape is i , iff t_1 starts with $:$ as leftmost symbol, or the value of the constant c_v as given from the input tape for that constant, iff c_v is the leftmost symbol. After initialisation, for each feature f we look up the result of applying f to the element on the work tape. Even though f is represented as a relation, we find that value by checking if $(j, k) \in f$ for each $0 \leq k < n$. Since f is functional, for at most one k there is $(j, k) \in f$. If there is one, k is written onto the work tape and we proceed with the next feature of t_1 . If there is none, this means the term t_1 is undefined on i . Thus we write a 0 onto the i 's cell of the output tape and proceed with $i + 1$. Analogously we calculate the application of t_2 onto i . Finally we compare the values of the two work tapes. If they are the same number, we write a 1 onto the i 's cell of the output tape. If the numbers are different, we inscribe a 0. Then we proceed with $i + 1$. Initialising a work tape is logarithmic in n . Application of a feature function is cubic in n . Hence the denotation of the formula can be computed in polynomial time.

The third case is somewhat similar to the second. For each $0 \leq i < n$, we calculate the denotation of term t exactly as described in the case. If t is undefined on i , we just note a 0 on the i 's cell of the output tape. Otherwise we get to an element m and check now the m 's cell of the sort tape to see if it agrees with σ . If so, we write a 1 on the i 's cell of the output tape, if not, we write a 0. Then we proceed with $i + 1$.

Initialising a work tape is logarithmic in n . Application of a feature function is cubic in n . Checking a sort is linear in n . Hence the denotation of the formula can be computed in polynomial time.

Let φ be non-atomic. If $\varphi = \neg\psi$, then there is by induction hypothesis a machine that computes ψ in polynomial time. We take this machine and add a step at the end. In this step, the output on the first work tape is reversed by replacing on the first n cells every 1 by a 0 and vice versa. This step is clearly linear in n . Thus the machine for φ is in PTIME.

Let $\varphi = \psi \vee \chi$. By induction hypothesis there are PTIME-machines M_ψ and M_χ for ψ and χ . A machine M_φ for φ is constructed by running M_ψ and copying the result to a work tape, running M_χ and copying the result onto another work tape and finally reading the results on the work tapes cell by cell and writing a 1 on the first work tape

whenever there is a 1 on one of the two work tapes and a 0 otherwise, a step, which is apparently linear in n . Thus M_ϕ is in PTIME.

Let $\phi = \psi \wedge \chi$. By induction hypothesis there are PTIME-machines M_ψ and M_χ for ψ and χ . A machine M_ϕ for ϕ is constructed by running M_ψ and copying the result to a work tape, running M_χ and copying the result onto another work tape and finally reading the results on the work tapes cell by cell and writing a 1 on the first work tape whenever there is a 1 on both of the two work tapes and a 0 otherwise, a step, which is apparently linear in n . Thus M_ϕ is in PTIME.

Let $\phi = \exists x\psi$. Remember that $D(\exists x\psi) = \{0 \leq i < n \mid \exists j < n : (i, j) \in Co \text{ and } i \in D(\psi^{j/x})\}$. A machine M_ϕ for ϕ works in two steps. In a first step, it computes the components for every element of the carrier. We give here a polynomial algorithm that can easily be used to define a machine. The binary relation Components $Co \subseteq \{0, 1, \dots, n-1\}^2$ is initialised by setting $(i, i) \in Co$ for all $0 \leq i < n$. We need one additional variable *new*.

```

Set new := false
Repeat
  For i := 0 to n-1
    For j := 0 to n-1
      If Co(i, j) then
        For k := 0 to n-1
          For all features F
            If F(j, k) and not Co(i, k) then
              Set Co(i, k) := true
              Set new := true
Until not new

```

Since $Co \subseteq \{0, 1, \dots, n-1\}^2$ and Co grows monotone in each run of the repeat loop, the repeat loop terminates after at most n^2 steps. Therefore the complexity of the algorithm is $O(n^5)$. The incarnation as a machine is even worse, because looking up and writing to a cell of the representation of a binary relation – as are Co and the features – is quadratic in n . Hence the complexity for the machine is $O(n^7)$, bad but still polynomial, as desired.

It is of course clear that the Component matrix needs to be computed only once, even if the formula contains several quantifiers.

The second step consists in calculating the denotation D of $\exists x\psi$. By induction hypothesis there is for every $0 \leq j < n$ a PTIME-machine $M_{\psi^{j/x}}$ for ψ where the variable x is replaced by the constant j . Again we provide a pseudo-code algorithm. D is initialised by setting everything to false, analog to erasing the first work tape.

```

For i := 0 to n-1
  Set j := 0
  Set found := false
  While (j < n and not found)
    If Co(i, j) then

```

```

Run  $M_{\psi^{j/x}}$ 
If  $i \in \text{Output}(M_{\psi^{j/x}})$  then
  Set  $D(i) := \text{true}$ 
  Set found := true
Set  $j := j+1$ 

```

The algorithm has the complexity $O(n^2)$ multiplied by the complexity of M_{ψ} . Since M_{ψ} is in PTIME by induction hypothesis, it follows that M_{φ} is in PTIME, too.

Let $\varphi = \forall x \psi$. This case is analog to the existential quantification case. ■

The denotation of an RSRL-formula is the set of those elements of the universe for which the formula holds true. Even if the formula is a sentence and it turns out that it is true for all elements, it can well be the case that subformulae have a denotation that differs from the whole universe and the empty set. Therefore it is necessary to store intermediate results of subformulae. And this cannot be done with only logarithmic space available. It is therefore very likely that PTIME is the least upper bound.

5 Classical Logic and Chainless RSRL

It is well known that functions and constants of first-order predicate logic can be coded by relations and hence are not really necessary. Thus we restrict ourselves here to the purely relational variant of first-order predicate logic. We abbreviate relational first order predicate logic by RFOL. By Definition 8, every formula of RFOL is a well-formed formula of RSRL.

Let $\mathfrak{M} = (U, R)$ be a relational first-order model with denumerable universe U and relations R . The denumerability is no restriction due to the Löwenheim-Skolem-Theorem on first-order predicate logic. We define a corresponding RSRL-interpretation $\mathfrak{I}_{\mathfrak{M}}$. The signature of \mathfrak{M} contains just the relation symbols Rel . The signature of $\mathfrak{I}_{\mathfrak{M}}$ consists of a single sort σ , two features f and b , and the relations $Rel: \Sigma_{\mathfrak{I}_{\mathfrak{M}}} = (\{\sigma\}, \emptyset, \{\sigma\}, \{f, b\}, \{(\sigma, f, \sigma), (\sigma, b, \sigma)\}, Rel)$. Both features f and b are appropriate for sort σ . The interpretation $\mathfrak{I}_{\mathfrak{M}} = (U, S, F, R)$ inherits the universe U and the relations R from \mathfrak{M} . For all $u \in U : S(u) = \sigma$. Since U is denumerable, let $enum : \mathbb{N} \rightarrow U$ be an enumeration of U . Define F as follows. For all $i \in \mathbb{N} : (enum(i), enum(i+1)) \in F(f)$ and $(enum(i+1), enum(i)) \in F(b)$. Feature f stands for forward, b for backward. Obviously, for each $u, v \in U$ such that $enum^{-1}(u) < enum^{-1}(v)$ there is an f -path from u to v and a b -path from v to u . Hence for each $u \in U$ the components $Co_{\mathfrak{I}_{\mathfrak{M}}}^u = U$.

Lemma 16 *Let φ be a formula in RFOL. Let \mathfrak{M} be a first-order model and a a variable assignment such that $(\mathfrak{M}, a) \models \varphi$. Then $(\mathfrak{I}_{\mathfrak{M}}, a) \models \varphi$.*

Proof. By structural induction. For convenience, we assume that only atomic formulae are negated in φ .

For the base, if $(\mathfrak{M}, a) \models x = y$ then $a(x) = a(y)$, and hence by Definitions 7 and 11 $D_{\mathfrak{M}}^a(x = y) = U$ or $(\mathfrak{I}_{\mathfrak{M}}, a) \models x = y$.

If $(\mathfrak{M}, a) \models x \neq y$ then $a(x) \neq a(y)$, and hence by Definitions 7 and 11 $D_{\mathfrak{M}}^a(x \neq y) = U$ or $(\mathfrak{I}_{\mathfrak{M}}, a) \models x \neq y$.

If $(\mathfrak{M}, a) \models Q(x_1, \dots, x_k)$ then $(a(x_1), \dots, a(x_k)) \in R(Q)$, and again by Definitions 7 and 11 $D_{\mathfrak{M}}^a(Q(x_1, \dots, x_k)) = U$ or $(\mathfrak{I}_{\mathfrak{M}}, a) \models Q(x_1, \dots, x_k)$.

If $(\mathfrak{M}, a) \models \neg Q(x_1, \dots, x_k)$ then $(a(x_1), \dots, a(x_k)) \notin R(Q)$, and again by Definitions 7 and 11 $D_{\mathfrak{M}}^a(Q(x_1, \dots, x_k)) = \emptyset$, and $D_{\mathfrak{M}}^a(\neg Q(x_1, \dots, x_k)) = U$ or $(\mathfrak{I}_{\mathfrak{M}}, a) \models \neg Q(x_1, \dots, x_k)$.

For the step, if $(\mathfrak{M}, a) \models \psi \wedge \chi$, then $(\mathfrak{M}, a) \models \psi$ and $(\mathfrak{M}, a) \models \chi$. By induction hypothesis, $(\mathfrak{I}_{\mathfrak{M}}, a) \models \psi$ and $(\mathfrak{I}_{\mathfrak{M}}, a) \models \chi$. Hence by Definition 11, $(\mathfrak{I}_{\mathfrak{M}}, a) \models \psi \wedge \chi$.

If $(\mathfrak{M}, a) \models \psi \vee \chi$, then $(\mathfrak{M}, a) \models \psi$ or $(\mathfrak{M}, a) \models \chi$. By induction hypothesis, $(\mathfrak{I}_{\mathfrak{M}}, a) \models \psi$ or $(\mathfrak{I}_{\mathfrak{M}}, a) \models \chi$. Hence by Definition 11, $(\mathfrak{I}_{\mathfrak{M}}, a) \models \psi \vee \chi$.

If $(\mathfrak{M}, a) \models \forall x\psi$ and x is free in ψ – the case of empty quantification is obvious –, then for all $u \in U : (\mathfrak{M}, a[u/x]) \models \psi$. Thus $(\mathfrak{I}_{\mathfrak{M}}, a[u/x]) \models \psi$ by induction hypothesis.

Thus for all $u \in U : D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi) = U$.

We know for all $v \in U : \text{Co}_{\mathfrak{I}_{\mathfrak{M}}}^v = U$.

Let $v \in U$. Then for all $u \in U : v \in D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi)$.

Thus for all $u \in \text{Co}_{\mathfrak{I}_{\mathfrak{M}}}^v : v \in D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi)$.

Hence $\{v \in U \mid \forall u \in \text{Co}_{\mathfrak{I}_{\mathfrak{M}}}^v : v \in D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi)\} = U$.

Hence $D_{\mathfrak{I}_{\mathfrak{M}}}^a(\forall x\psi) = U$, or $(\mathfrak{I}_{\mathfrak{M}}, a) \models \forall x\psi$.

If $(\mathfrak{M}, a) \models \exists x\psi$ and x is free in ψ then there is a $u \in U$ such that $(\mathfrak{M}, a[u/x]) \models \psi$. Thus $(\mathfrak{I}_{\mathfrak{M}}, a[u/x]) \models \psi$ by induction hypothesis.

Hence there is a $u \in U : D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi) = U$.

Let $v \in U$, then $u \in \text{Co}_{\mathfrak{I}_{\mathfrak{M}}}^v = U$ and $v \in D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi)$.

Thus $\{v \in U \mid \exists u \in \text{Co}_{\mathfrak{I}_{\mathfrak{M}}}^v : v \in D_{\mathfrak{I}_{\mathfrak{M}}}^{a[u/x]}(\psi)\} = U$, thus $D_{\mathfrak{I}_{\mathfrak{M}}}^a(\exists x\psi) = U$, thus $(\mathfrak{I}_{\mathfrak{M}}, a) \models \exists x\psi$. ■

Definition 17 An RSRL-interpretation \mathfrak{I} is called *fully connected*, if the components for every element of the carrier is the whole carrier, i.e., for all $u \in U : \text{Co}_{\mathfrak{I}}^u = U$.

The RSRL-interpretation is fully connected in the sense that for each two elements of the carrier there exists a feature path from one to the other.

Corollary 18 *If an RFOL-formula has a classical model, it has a fully connected RSRL-model.*

In RSRL, one quantifier can be defined by means of the other, just as can be in the classical case.

Lemma 19 *For every RSRL-interpretation \mathfrak{I} and every variable assignment a : $D_{\mathfrak{I}}^a(\neg \exists x \neg \phi) = D_{\mathfrak{I}}^a(\forall x \phi)$.*

Proof.

$$\begin{aligned}
& D_1^a(\neg\exists x\neg\varphi) \\
&= U \setminus D_1^a(\exists x\neg\varphi) \\
&= U \setminus \{u \in U \mid \text{there is a } v \in \text{Co}_1^u \text{ with } u \in D_1^{a[v/x]}(\neg\varphi)\} \\
&= \{u \in U \mid \text{there is no } v \in \text{Co}_1^u \text{ with } u \in D_1^{a[v/x]}(\neg\varphi)\} \\
&= \{u \in U \mid \text{for all } v \in \text{Co}_1^u : u \notin D_1^{a[v/x]}(\neg\varphi)\} \\
&= \{u \in U \mid \text{for all } v \in \text{Co}_1^u : u \notin (U \setminus D_1^{a[v/x]}(\varphi))\} \\
&= \{u \in U \mid \text{for all } v \in \text{Co}_1^u : u \in D_1^{a[v/x]}(\varphi)\} \\
&= D_1^a(\forall x\varphi). \quad \blacksquare
\end{aligned}$$

Let φ be a formula of RFOL. We now suppose φ has a fully connected model in RSRL and show it has a model in classical relational first order logic. To get a classical relational model out of an RSRL-model is quite simple: We just forget about the sorts, features and the sort hierarchy. All that remains is the universe and the relations. More precisely let $\mathfrak{l} = (U, S, F, R)$. Define $\mathfrak{M}_1 = (U, R)$.

Lemma 20 *Let φ be a formula of RFOL. Let \mathfrak{l} be a fully connected RSRL-interpretation and a a variable assignment such that $(\mathfrak{l}, a) \models \varphi$. Then $(\mathfrak{M}_1, a) \models \varphi$.*

Proof. This lemma is again proven by induction.

For the base, let $(\mathfrak{l}, a) \models x = y$. Thus $D_1^a(x = y) = U$. Thus $a(x) = a(y)$. Thus $(\mathfrak{M}_1, a) \models x = y$.

Let $(\mathfrak{l}, a) \models Q(x_1, \dots, x_k)$. Thus $D_1^a(Q(x_1, \dots, x_k)) = U$. Thus $(a(x_1), \dots, a(x_k)) \in R(Q)$. Thus $(\mathfrak{M}_1, a) \models Q(x_1, \dots, x_k)$.

For the step, let $(\mathfrak{l}, a) \models \psi \wedge \chi$. Then $(\mathfrak{l}, a) \models \psi$ and $(\mathfrak{l}, a) \models \chi$. By induction hypothesis, Then $(\mathfrak{M}_1, a) \models \psi$ and $(\mathfrak{M}_1, a) \models \chi$. Hence $(\mathfrak{M}_1, a) \models \psi \wedge \chi$.

Let $(\mathfrak{l}, a) \models \psi \vee \chi$. Then $(\mathfrak{l}, a) \models \psi$ or $(\mathfrak{l}, a) \models \chi$. By induction hypothesis, Then $(\mathfrak{M}_1, a) \models \psi$ or $(\mathfrak{M}_1, a) \models \chi$. Hence $(\mathfrak{M}_1, a) \models \psi \vee \chi$.

Let $(\mathfrak{l}, a) \models \neg\psi$. Thus $D_1^a(\psi) = \emptyset$. By induction hypothesis, ψ is false in \mathfrak{M}_1 with assignment a . And hence $(\mathfrak{M}_1, a) \models \neg\psi$.

Finally, let $(\mathfrak{l}, a) \models \forall x\psi$. Thus $\{u \in U \mid \text{for all } v \in \text{Co}_1^u : u \in D_1^{a[v/x]}(\psi)\} = U$. Thus $\forall u \in U \forall v \in \text{Co}_1^u : u \in D_1^{a[v/x]}(\psi)$. Since the RSRL-model is fully connected, $\forall u \in U \forall v \in U : u \in D_1^{a[v/x]}(\psi)$. Therefore $\forall v \in U \forall u \in U : u \in D_1^{a[v/x]}(\psi)$. Hence $\forall v \in U : D_1^{a[v/x]}(\psi) = U$. Thus $\forall v \in U : (\mathfrak{l}, a[v/x]) \models \psi$. By induction hypothesis, $\forall v \in U : (\mathfrak{M}_1, a[v/x]) \models \psi$. Thus $(\mathfrak{M}_1, a) \models \forall x\psi$. \blacksquare

Theorem 21 *Let φ be a sentence in RFOL. Then φ has a model in RFOL iff it has a fully connected model in RSRL.*

Acknowledgements

I would like to thank Frank Richter, Manfred Sailer, and Uwe Mönnich for helpful discussions.

References

- [1] Alonso Church. A Note on the Entscheidungsproblem. *Journal of Symbolic Logic*, 1(40–41), 1936. Correction *ibid.* P. 101–102.
- [2] Bruno Courcelle. Graph Rewriting, An Algebraic and Logic Approach. In Jan van Leeuwen, editor, *Handbook of Theoretical Computer Science*, volume B, chapter 5, pages 193–242. Elsevier, 1990.
- [3] Heinz-Dieter Ebbinghaus and Jörg Flum. *Finite Model Theory*. Springer-Verlag, 1995.
- [4] Neil Immerman. Expressibility as a Complexity Measure: Results and Directions. In *Second Structure in Complexity Theory Conference*, pages 194–202. Computer Soc. of the IEEE., 1987.
- [5] Stephan Kepser. A Satisfiability Algorithm for a Typed Feature Logic. Master’s thesis, Seminar für Sprachwissenschaft, University of Tübingen, Arbeitspapiere des SFB 340, Bericht Nr. 60, 1994.
- [6] Paul John King. *A Logical Formalism for Head-Driven Phrase Structure Grammar*. PhD thesis, University of Manchester, 1989.
- [7] Paul John King. Towards Truth in HPSG. In Valia Kordoni, editor, *Tübingen Studies in Head-Driven Phrase Structure Grammar*, volume 2, pages 301–352. Arbeitspapiere des SFB 340, Bericht Nr. 132, Tübingen, Germany, 1999.
- [8] Paul John King, Kiril Ivanov Simov, and Bjørn Aldag. The Complexity of Modellability in Finite and Computable Signatures of a Constraint Logic for Head-Driven Phrase Structure Grammar. *Journal of Logic, Language and Information*, 8(1):83–110, 1999.
- [9] Carl Pollard and Ivan A. Sag. *Information Based Syntax and Semantics, Vol. 1: Fundamentals*. Number 13 in Lecture Notes. CSLI, 1987.
- [10] Carl Pollard and Ivan A. Sag. *Head-Driven Phrase Structure Grammar*. University of Chicago Press, 1994.
- [11] Emil Post. A Variant of a Recursively Unsolvable Problem. *Bulletin of the AMS*, 52:264–268, 1946.
- [12] Frank Richter. *A Mathematical Formalism for Linguistic Theories with an Application in Head-Driven Phrase Structure Grammar*. PhD thesis, Sfs, Universität Tübingen, 2000.
- [13] Frank Richter, Manfred Sailer, and Gerald Penn. A Formal Interpretation of Relations and Quantification in HPSG. In Gosse Bouma, Erhard Hinrichs, Geert-Jan M. Kruijff, and Richard T. Oehrle, editors, *Constraints and Resources in Natural Language Syntax and Semantics*, pages 281–298. CSLI Publications, 1999.